

From: [Bishop, Jonathan@Waterboards](mailto:Bishop_Jonathan@Waterboards)
To: [Smith, DavidW@epamail.epa.gov](mailto:Smith_DavidW@epamail.epa.gov)
Cc: [Rasmussen, Rik@Waterboards](mailto:Rasmussen_Rik@Waterboards); [Crader, Phillip@Waterboards](mailto:Crader_Phillip@Waterboards); [Lauffer, Michael@Waterboards](mailto:Lauffer_Michael@Waterboards)
Subject: Re: Protection of Acute objectives using chronic WQBELs
Date: Tuesday, May 26, 2015 6:18:38 PM

I do not believe you will be getting anything from OCC

Sent from my iPhone

On May 26, 2015, at 1:52 PM, Smith, DavidW <Smith.DavidW@epa.gov> wrote:

Thanks Rik- Will look forward to reading it. Do you know if we should be expecting anything from OCC following up our call to address the conversation concerning interpretations of permitting requirements? If so, when? We'd like to look at these things together, and my notes indicated OCC would be preparing something for us. Thanks!

David Smith
Manager
NPDES Permits Section (WTR-2-3)
U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94602
(415) 972-3464 (office)
(415) 972-947-3545 (fax)

From: Rasmussen, Rik@Waterboards [<mailto:Rik.Rasmussen@waterboards.ca.gov>]
Sent: Tuesday, May 26, 2015 11:42 AM
To: Smith, DavidW
Cc: Crader, Phillip@Waterboards; Bishop, Jonathan@Waterboards
Subject: Protection of Acute objectives using chronic WQBELs

Dave-

Please see the attached memo and attachment on why limits developed from the Chronic toxicity objective would – in most cases- also be protective of the acute objective.

Rik

	RIK L. RASMUSSEN, MANAGER TMDL SECTION STATE WATER RESOURCES CONTROL BOARD 1001 I STREET, SACRAMENTO, CA 95814-2828
--	--



PHONE: 916.341.5549
FACSIMILE: 916.341.5550
Rik.Rasmussen@waterboards.ca.gov